

INDEX TO AUTHORS.

A

- Adolph, Edward F.** Electrostatic forces in the diffusion of water through collodion membranes between solutions of mixed electrolytes, 339

B

- Baudisch, Oskar, and Davidson, David.** The mechanism of oxidation of thymine. 4, 5-Dihydroxyhydrothymine (thymine glycol), 233
 — and **Welo, L. A.** On the aging of ferrous hydroxide and ferrous carbonate, 753
 — and —. On the aging of natural mineral waters, 771
 —. See **DAVIDSON** and **BAUDISCH**, 619
Baumann, Emil J., and Hunt, Louise. On the relation of thyroid secretion to specific dynamic action, 709
Becker, J. Ernestine. See **McCOLLUM**, **SIMMONDS**, and **BECKER**, 161
Bell, Raymond W. The effect of heat on the solubility of the calcium and phosphorus compounds in milk, 391
Benedict, Stanley R. The determination of blood sugar, 207
 —. The determination of uric acid in the blood, 215

- Bezssonoff, Nikolai.** The Jendrassik reaction for water-soluble B. Concerning Victor E. Levine's critical study, 589
Biilmann, Einar. See **CULLEN** and **BILMANN**, 727
Bills, Charles E. The resistance of the antirachitic substance in cod liver oil to reagents, 1
Black, Archie. See **STEENBOCK** and **BLACK**, 263
Bolliger, A., and Hartmann, F. W. Observations on blood phosphates as related to carbohydrate metabolism, 91
Brand, Erwin. See **SANDBERG** and **BRAND**, 59
Brunquist, E. H. See **KOEHLE**, **BRUNQUIST**, and **LOEVENHART**, 313

C

- Carrick, Carey W.** See **HAUGE** and **CARRICK**, 111
Chown, H. Bruce. See **HOLT**, **LA MER**, and **CHOWN**, 509, 567
Clark, E. P. See **COLLIP** and **CLARK**, 485
Collens, William S. The blood supply to the pancreas with some perfusion studies, 461
Collins, Arnold M. See **JACOBS** and **COLLINS**, 383
Collip, J. B., and Clark, E. P. Further studies on the physi-

- ological action of a parathyroid hormone, 485
- Cook, Kenneth G.** See ROSE and COOK, 325
- Cori, Carl F., and Cori, Gerty T.** The carbohydrate metabolism of tumors. I. The free sugar, lactic acid, and glycogen content of malignant tumors, 11
- Cori, Gerty T.** See CORI and CORI, 11
- Csonka, Frank A.** See JONES and CSONKA, 673
- Cullen, Glenn E., and Billmann, Einar.** The use of the quinhydrone electrode for hydrion concentration determination on serum, 727
- See DRUCKER and CULLEN, 221
- D**
- Davidson, David, and Baudisch, Oskar.** The oxidation of isobarbituric acid. A new class of indigoids, 619
- See BAUDISCH and DAVIDSON, 233
- Drucker, Paul, and Cullen, Glenn E.** A simple method for obtaining cutaneous (capillary) blood from infants and adults for colorimetric pH determination, 221
- Dunn, Edith R.** See VOEGTLIN, THOMPSON, and DUNN, 639
- E**
- Eckstein, H. C.** The fatty acids in the subcutaneous fat of man, 797
- Evenden, James.** See WIERZUCHOWSKI and LING, 697
- F**
- Fred, E. B.** See STILES, PETERSON, and FRED, 643
- G**
- Gersdorff, C. E. F.** See JONES and GERSDORFF, 241
- See JONES, GERSDORFF, and MOELLER, 655
- Gittleman, I.** See HOLT, LAMER, and CHOWN, 567
- Goldschmidt, Samuel, and Light, Arthur B.** A method of obtaining from veins blood similar to arterial blood in gaseous content, 53
- Graham, Viola A.** See SUMNER and GRAHAM, 257
- Griffith, Wendell H.** A note on the influence of the diet on the synthesis of hippuric acid, 401
- Grollman, Arthur.** The combination of phenel red and proteins, 141
- Guerrant, Nollie B.** See HOGAN, GUERRANT, and KEMPSTER, 113
- H**
- Hammett, Frederick S.** A biochemical study of bone growth. I. Changes in the ash, organic matter, and water during growth (*Mus norvegicus albinus*), 409
- II. Changes in the calcium, magnesium, and phosphorus of bone during growth, 685
- III. Changes in the composition of the ash during growth, 693
- Harrington, Charles Robert.** Synthesis of 3,4,5-triiodo-

- phenylpyrrolidone carboxylic acid, a possible isomer of thyroxin, 29
- Hartman, F. W.** See BOLLIGER and HARTMAN, 91
- Hauge, Sigfred M., and Carrick, Carey W.** The antiscorbutic properties of eggs, 111
- Helman, F. Dorothy.** See HESS and HELMAN, 781
- Hess, Alfred F., and Helman, F. Dorothy.** The phosphatide and total phosphorus content of woman's and cow's milk, 781
- and **Weinstock, Mildred.** The antirachitic value of irradiated cholesterol and phytosterol. II. Further evidence of change in biological activity, 181
- and —. III. Evidence of chemical change as shown by absorption spectra, 193
- Hiller, Alma, Linder, G. C., and Van Slyke, D. D.** The reducing substances of the blood, 625
- Hogan, Albert G., Guerrant, Nollie B., and Kempster, Harry L.** Concerning the adequacy of synthetic diets for the growth of the chick, 113
- Holt, L. Emmett, Jr.** Studies in calcification. III. A quantitative study of the equilibria concerned with the calcification of bone, 579
- , **La Mer, Victor K., and Chown, H. Bruce.** Studies in calcification. I. The solubility product of secondary and tertiary calcium phosphate under various conditions, 509
- , —, and —. II. Delayed equilibrium between the calcium phosphates and its biological significance, 567
- Hoppert, C. A.** See STEENBOCK and BLACK, 263
- Hunt, Louise.** See BAUMANN and HUNT, 709
- J**
- Jacobs, Walter A.** Saponins. III. The saponenin occurring in *Sapindus saponaria* L. and *Sapindus mukorossi utilis* (Trabuti), 379
- and **Collins, Arnold M.** Strophanthin. VII. The double bond of strophanthidin, 383
- Jones, D. Breese, and Csonka, Frank A.** Proteins of the cottonseed, 673
- and **Gersdorff, C. E. F.** Proteins of wheat bran. II. Distribution of nitrogen, percentages of amino acids and of free amino nitrogen: a comparison of the bran proteins with the corresponding proteins of wheat endosperm and embryo, 241
- , —, and **Moeller, O.** Proteins of the bark of the common locust tree, *Robinia pseudacacia*. I. Enzymes associated with the proteins: the composition, properties, nitrogen distribution, and some of the amino acids of the albumin, 655
- K**
- Kempster, Harry L.** See HOGAN, GUERRANT, and KEMPSTER, 113

- Koehler, A. E., Brunquist, E. H., and Loevenhart, A. S.** The production of acidosis by anoxemia, 313
 — and **Reitzel, Raymond J.** The effect of pH on the oxygen consumption of tissues, 739

L

- La Mer, Victor K.** See **HOLT, LA MER, and CHOWN,** 509, 567
Lawson, W. E., and Scott, W. O. An electrolytic modification of the Gutzeit method for the determination of arsenic in body tissues, 23
Leiter, Louis. The metabolism of imidazoles, 125
Levene, P. A., and Meyer, G. M. Monoacetone galactose, 473
 — and **Ulpts, R.** On condensation of monosaccharides by means of dilute mineral acid, 475
Levine, Victor E. The Jendrasik reaction for vitamin B with reference to the work of Bezssonoff and of Levine, 591
Light, Arthur B. See **GOLDSCHMIDT and LIGHT,** 53
Linder, G. C. See **HILLER, LINDER, and VAN SLYKE,** 625
Ling, S. M. See **WIERZUCHOWSKI and LING,** 697
Locke, Arthur P. See **MAIN and LOCKE,** 75
Loevenhart, A. S. See **KOEHLER, BRUNQUIST, and LOEVENHART,** 313
Long, Esmond R. See **SEIBERT and LONG,** 229

M

- MacLeod, F. L.** See **SHERMAN and MACLEOD,** 429
Main, Edna Ruth, and Locke, Arthur P. The determination of small amounts of protein nitrogen, 75
McCollum, E. V., Simmonds, Nina, and Becker, J. Ernestine. Further studies on the cause of ophthalmia in rats produced with diets containing vitamin A, 161
Meyer, G. M. See **LEVENE and MEYER,** 473
Moeller, O. See **JONES, GERSDORFF, and MOELLER,** 655
Moritz, Alan R. The effect of ultra-violet irradiation on the state of the serum calcium, 81

N

- Nelson, E. M., and Steenbock, H.** Fat-soluble vitamins. XXIV. The non-precipitability of the antiophthalmic and antirachitic properties from cod liver oil by digitonin, 299
Nelson, Mariana T. See **STEENBOCK and BLACK,** 263
du Noüy, P. Lecomte. On the probable dimensions of the molecule and molecular weight of crystalline egg albumin, 595

P

- Peterson, W. H.** See **STILES, PETERSON, and FRED,** 643

R

- Read, Bernard E. Chemical constituents of camel's urine, 615
- Reitzel, Raymond J. See KOEHLER and REITZEL, 739
- Riising, Blanche M. See STEENBOCK and BLACK, 263
- Rose, Anton R. A micro method for determining nitrogen, 253
- Rose, William C., and Cook, Kenneth G. The relation of histidine and arginine to creatine and purine metabolism, 325

S

- Sackett, Guy E. Modification of Bloor's method for the determination of cholesterol in whole blood or blood serum, 203
- Sandberg, Marta, and Brand, Erwin. On papain lipase, 59
- Sando, Charles E. Anthocyanin formation in *Helianthus annuus*, 71
- Scott, W. O. See LAWSON and SCOTT, 23
- Seibert, Florence B., and Long, Esmond R. The interfering effect of glycerol on the biuret reaction, 229
- Sherman, H. C., and MacLeod, F. L. The calcium content of the body in relation to age, growth, and food, 429
- Simmonds, Nina. See MCCOLLUM, SIMMONDS, and BECKER, 161

- Speakman, Horace B. The biochemistry of acetone formation from sugars by *Bacillus acetoethylicum*, 41
- Steenbock, H., and Black, Archie. Fat-soluble vitamins. XXIII. The induction of growth-promoting and calcifying properties in fats and their unsaponifiable constituents by exposure to light, 263
- See NELSON and STEENBOCK, 299
- Stiles, H. R., Peterson, W. H., and Fred, E. B. Fermentation products of certain mannitol-forming bacteria, 643

- Sumner, James B., and Graham, Viola A. The globulins of the jack bean (*Canavalia ensiformis*). II. The content of cystine, tyrosine, and tryptophane, 257

T

- Thompson, J. W. See VOEGTLIN, THOMPSON, and DUNN, 639

U

- Ulpts, R. See LEVENE and ULPTS, 475

V

- Van Slyke, D. D. See HILLER, LINDER, and VAN SLYKE, 625
- Voegtlin, Carl, Thompson, J. W., and Dunn, Edith R. Hyperglycemia produced by glycerol, 639

- W**
- | | | | |
|--|----------|---|-----|
| Weinstock, Mildred. See HESS
and WEINSTOCK , | 181, 193 | Twenty-ninth paper. On
fat production in a young
hog, | 697 |
| Welo, L. A. See BAUDISCH and
WELO , | 753, 771 | Wu, Daisy Yen. See WU and
WU , | 369 |
| Wierzuchowski, M., and Ling,
S. M. Animal calorimetry. | | Wu, Hsien, and Wu, Daisy Yen.
Nature of heat denaturation
of proteins, | 369 |

INDEX TO SUBJECTS.

- A**
- Absorption spectra:**
 Chemical change (HESS
 and WEINSTOCK) 193
- Acetone:**
 Sugars by *Bacillus aceto-*
ethylicum (SPEAKMAN) 41
- Acidosis:**
 Anoxemia (KOEHLER,
 BRUNQUIST, and LOE-
 VENHART) 313
- Albumin:**
 Egg, crystalline, molecular
 weight (DU NOÛY) 595
 Locust tree bark, amino
 acids (JONES, GERS-
 DORFF, and MOELLER) 655
 — — —, nitrogen distribu-
 tion (JONES, GERSDORFF,
 and MOELLER) 655
- Amino acid(s):**
 Albumin of locust tree
 bark (JONES, GERS-
 DORFF, and MOELLER) 655
 Proteins of wheat bran
 (JONES and GERSDORFF) 241
- Amino nitrogen:**
 Proteins of wheat bran
 (JONES and GERSDORFF) 241
- Anoxemia:**
 Acidosis (KOEHLER, BRUN-
 QUIST, and LOEVEN-
 HART) 313
- Anthocyanin:**
Helianthus annuus (SANDO) 71
- Arginine:**
 Creatine metabolism
 (ROSE and COOK) 325
 Purine metabolism (ROSE
 and COOK) 325
- Arsenic:**
 Body tissues, electrolytic
 modification of Gutzeit
 method (LAWSON and
 SCOTT) 23
- Artery:**
 Blood, venous blood simi-
 lar in gaseous content
 (GOLDSCHMIDT
 and
 LIGHT) 53
- Ash:**
 Bone, calcium, during
 growth (HAMMETT) 693
 —, during growth (HAM-
 METT) 409
 —, magnesium, during
 growth (HAMMETT) 693
 —, phosphorus, during
 growth (HAMMETT) 693
- B**
- Bacillus:**
acetoethylicum, acetone
 from sugars (SPEAKMAN) 41
- Bacterium:**
 Mannitol-forming bacteria,
 fermentation products
 (STILES, PETERSON, and
 FRED) 643

Biuret reaction:

Glycerol (SEIBERT and LONG) 229

Blood:

Arterial, venous blood similar in gaseous content (GOLDSCHMIDT and LIGHT) 53

Capillary, for colorimetric pH determination (DRUCKER and CULLEN) 221

Cholesterol, modification of Bloor's method (SACKETT) 203

Cutaneous (capillary), for colorimetric pH determination (DRUCKER and CULLEN) 221

Pancreas (COLLENS) 461

Phosphates, related to carbohydrate metabolism (BOLLIGER and HARTMAN) 91

Reducing substances (HILLER, LINDER, and VAN SLYKE) 625

Serum, cholesterol, modification of Bloor's method (SACKETT) 203

Sugar (BENEDICT) 207

Uric acid (BENEDICT) 215

Venous, similar to arterial in gaseous content (GOLDSCHMIDT and LIGHT) 53

Body:

Calcium, relation to age, growth, and food (SHERMAN and MACLEOD) 429

Bone:

Ash, calcium, during growth (HAMMETT) 693

Bone—continued:

Ash, magnesium, during growth (HAMMETT) 693

—, phosphorus, during growth (HAMMETT) 693

Calcification, equilibria concerned (HOLT) 579

Calcium, during growth (HAMMETT) 685

Growth (HAMMETT) 409, 685, 693

Magnesium, during growth (HAMMETT) 685

Phosphorus, during growth (HAMMETT) 685

C**Calcification:**

(HOLT) 579

(HOLT, LA MER, and CHOWN) 509, 567

Bone, equilibria concerned (HOLT) 579

Calcium:

Body, relation to age, growth, and food (SHERMAN and MACLEOD) 429

Bone ash during growth (HAMMETT) 693

— during growth (HAMMETT) 685

Milk, heat on solubility (BELL) 391

Phosphates, equilibrium between (HOLT, LA MER, and CHOWN) 567

— solubility product (HOLT, LA MER, and CHOWN) 509

Serum, ultra-violet irradiation (MORITZ) 81

- Calorimetry:**
Animal (WIERZUCHOWSKI and LING) 697
- Camel:**
Urine, chemical constituents (READ) 615
- Canavalia ensiformis:**
See Jack bean.
- Carbohydrate:**
Metabolism, relation of blood phosphates (BOLLIGER and HARTMAN) 91
— of tumors (CORI and CORI) 11
- Carboxylic acid:**
3,4,5-Triiodophenylpyrrolidone, synthesis (HARINGTON) 29
- Cholesterol:**
Blood, modification of Bloor's method (SACKETT) 203
— serum, modification of Bloor's method (SACKETT) 203
Irradiation, antirachitic value (HESS and WEINSTOCK) 181, 193
- Cod liver oil:**
Antiphthalmic properties, non-precipitability by digitonin (NELSON and STEENBOCK) 299
Antirachitic properties, non-precipitability by digitonin (NELSON and STEENBOCK) 299
— substance, resistance to reagents (BILLS) 1
- Collodion:**
Membranes, diffusion of water through (ADOLPH) 339
- Cottonseed:**
Proteins (JONES and CSONKA) 673
- Creatine:**
Metabolism, arginine (ROSE and COOK) 325
—, histidine (ROSE and COOK) 325
- Cystine:**
Globulins of jack bean (SUMNER and GRAHAM) 257
- D**
- Diet(s):**
Hippuric acid, synthesis (GRIFFITH) 401
Synthetic, and growth of chicks (HOGAN, GUERANT, and KEMPSTER) 113
- Digitonin:**
Antiphthalmic properties, non-precipitability from cod liver oil (NELSON and STEENBOCK) 299
Antirachitic properties, non-precipitability from cod liver oil (NELSON and STEENBOCK) 299
- 4,5-Dihydroxyhydrothymine:**
(BAUDISCH and DAVIDSON) 233
- E**
- Egg(s):**
Albumin, crystalline, molecular weight (DU NOÛY) 595
Antiscorbutic properties (HAUGE and CARRICK) 111
- Electrode:**
Quinhydrone, hydron concentration determination on serum (CULLEN and BILLMANN) 727

Electrolytes:

- Water diffusion through
collodion membranes be-
tween solutions, electro-
static forces (ADOLPH)
339

Enzymes:

- Proteins of locust tree
(JONES, GERSDORFF, and
MOELLER) 655

Equilibrium:

- Bone calcification, equi-
libria concerned (HOLT)
579
- Calcium phosphates
(HOLT, LA MER, and
CHOWN) 567

F**Fat(s):**

- Fatty acids in subcutane-
ous (ECKSTEIN) 797
- Growth-promoting and calci-
fying properties
(STEENBOCK and BLACK)
263
- Hog (WIERZUCHOWSKI and
LING) 697
- Soluble vitamins (NELSON
and STEENBOCK) 299
- — (STEENBOCK and
BLACK) 263

Fatty acids:

- Fat, subcutaneous (ECK-
STEIN) 797

Fermentation:

- Products, mannitol-forming
bacteria (STILES, PETER-
SON, and FRED) 643

Ferrous carbonate:

- Aging (BAUDISCH and
WELO) 753

Ferrous hydroxide:

- Aging (BAUDISCH and
WELO) 753

G**Galactose:**

- Monoacetone (LEVENE and
MEYER) 473

Gas:

- Blood, venous, similar to
arterial blood in gaseous
content (GOLDSCHMIDT
and LIGHT) 53

Globulins:

- Jack bean (SUMNER and
GRAHAM) 257

Glycerol:

- Biuret reaction (SEIBERT
and LONG) 229
- Hyperglycemia produced
by (VOEGLIN, THOMP-
SON, and DUNN) 639

Glycogen:

- Tumors, malignant (CORI
and CORI) 11

Growth:

- Chick, and synthetic diets
(HOGAN, GUERRANT,
and KEMPSTER) 113

Gutzeit method:

- Arsenic in body tissues,
electrolytic modification
(LAWSON and SCOTT) 23

H**Heat:**

- Calcium compounds in
milk (BELL) 391
- Phosphorus compounds in
milk (BELL) 391
- Proteins, heat denatura-
tion (WU and WU) 369

Helianthus annuus:

- Anthocyanin (SANDO) 71

Hippuric acid:

- Diet (GRIFFITH) 401

- Histidine:**
 Creatine metabolism (ROSE and COOK) 325
 Purine metabolism (ROSE and COOK) 325
- Hydrion:**
 Concentration determination on serum, quinhydrone electrode (CULLEN and BILMANN) 727
- Hydrogen ion:**
 Concentration, oxygen consumption of tissues (KOEHLER and REITZEL) 739
 Determination, colorimetric, cutaneous (capillary) blood (DRUCKER and CULLEN) 221
- Hyperglycemia:**
 Glycerol (VOEGLIN, THOMPSON, and DUNN) 639
- I**
- Imidazoles:**
 Metabolism (LEITER) 125
- Indigoïds:**
 (DAVIDSON and BAUDISCH) 619
- Irradiation:**
 Cholesterol, antirachitic value (HESS and WEINSTOCK) 181, 193
 Phytosterol, antirachitic value (HESS and WEINSTOCK) 181, 193
 Serum calcium, ultra-violet irradiation (MORITZ) 81
- Isobarbituric acid:**
 Oxidation (DAVIDSON and BAUDISCH) 619
- Isomer:**
 Thyroxin (HARINGTON) 29
- J**
- Jack bean:**
 Globulins (SUMNER and GRAHAM) 257
- Jendrassik reaction:**
 Vitamin B (LEVINE) 591
 Water-soluble B (BEZSONOFF) 589
- L**
- Lactic acid:**
 Tumors, malignant (CORI and CORI) 11
- Light:**
 Fats, unsaponifiable constituents, by exposure (STEENBOCK and BLACK) 263
- Lipase:**
 Papain (SANDBERG and BRAND) 59
- Locust tree:**
 Proteins of bark (JONES, GERSDORFF, and MOELER) 655
- M**
- Magnesium:**
 Bone ash during growth (HAMMETT) 693
 — during growth (HAMMETT) 685
- Mannitol:**
 -Forming bacteria, fermentation products (STILES, PETERSON, and FRED) 643
- Membranes:**
 Collodion, diffusion of water through (ADOLPH) 339

- Metabolism:**
 Carbohydrate, relation of
 blood phosphates (BOLLIGER and HARTMAN) 91
 Creatine, arginine (ROSE and COOK) 325
 —, histidine (ROSE and COOK) 325
 Imidazoles (LEITER) 125
 Purine, arginine (ROSE and COOK) 325
 —, histidine (ROSE and COOK) 325
 Tumors, carbohydrate metabolism (CORI and CORI) 11
- Milk:**
 Calcium compounds, heat on solubility (BELL) 391
 Phosphatide (HESS and HELMAN) 781
 Phosphorus (HESS and HELMAN) 781
 — compounds, heat on solubility (BELL) 391
- Mineral:**
 Water, natural, aging (BAUDISCH and WELO) 771
- Mineral acid:**
 Monosaccharides, condensation (LEVENE and ULPTS) 475
- Molecular:**
 Weight, crystalline egg albumin (DU NOÛY) 595
- Molecule:**
 Dimensions (DU NOÛY) 595
- Monoacetone:**
 Galactose (LEVENE and MEYER) 473
- Monosaccharides:**
 Condensation by dilute mineral acid (LEVENE and ULPTS) 475
- N**
- Nitrogen:**
 Albumin of locust tree bark (JONES, GERSDORFF, and MOELLER) 655
 Micro method (ROSE) 253
 Protein (MAIN and LOCKE) 75
 Proteins of wheat bran (JONES and GERSDORFF) 241
- O**
- Oil:**
 Cod liver. *See* Cod liver oil.
- Ophthalmia:**
 Cod liver oil, non-precipitability of antiophthalmic properties by digitonin (NELSON and STEENBOCK) 299
 Vitamin A-containing diets (MCCOLLUM, SIMMONDS, and BECKER) 161
- Organic matter:**
 Bone, during growth (HAMMETT) 409
- Oxygen:**
 Tissues, pH (KOEHLER and REITZEL) 739
- P**
- Pancreas:**
 Blood supply (COLLENS) 461
- Papain:**
 Lipase (SANDBERG and BRAND) 59

- Parathyroid:**
 Hormone, physiological action (COLLIP and CLARK) 485
- Perfusion:**
 (COLLENS) 461
- Phenol red:**
 Proteins (GROLLMAN) 141
- Phosphate(s):**
 Blood, related to carbohydrate metabolism (BOLLIGER and HARTMAN) 91
 Calcium, equilibrium between (HOLT, LA MER, and CHOWN) 567
 —, solubility product of (HOLT, LA MER, and CHOWN) 509
- Phosphatide:**
 Milk (HESS and HELMAN) 781
- Phosphorus:**
 Bone ash during growth (HAMMETT) 693
 — during growth (HAMMETT) 685
 Milk (HESS and HELMAN) 781
 —, heat on solubility (BELL) 391
- Phytosterol:**
 Irradiation, antirachitic value (HESS and WEINSTOCK) 181, 193
- Protein(s):**
 Bark of locust tree (JONES, GERSDORFF, and MOELLER) 655
 Cottonseed (JONES and CSONKA) 673
 Locust tree, enzymes associated with (JONES, GERSDORFF, and MOELLER) 655
 Heat denaturation (WU and WU) 369
- Protein(s)—continued:**
 Nitrogen (MAIN and LOCKE) 75
 Phenol red (GROLLMAN) 141
 Wheat bran (JONES and GERSDORFF) 241
- Purine:**
 Metabolism, arginine (ROSE and COOK) 325
 —, histidine (ROSE and COOK) 325
- Q**
- Quinhydrone:**
 Electrode, hydrion concentration determination on serum (CULLEN and BILMANN) 727
- R**
- Rachitis:**
See Rickets.
- Reducing substances:**
 Blood (HILLER, LINDER, and VAN SLYKE) 625
- Rickets:**
 Antirachitic value of irradiated cholesterol (HESS and WEINSTOCK) 181, 193
 — — — irradiated phytosterol (HESS and WEINSTOCK) 181, 193
 Cod liver oil, non-precipitability of antirachitic properties by digitonin (NELSON and STEENBOCK) 299
 — — —, resistance of antirachitic substance in, to reagents (BILLS) 1
- Robinia pseudacacia:**
See Locust tree.

S

- Sapindus mukorossi utilis** (Tra-
buti):
Sapogenin (JACOBS) 379
- Sapindus saponaria L.:**
Sapogenin (JACOBS) 379
- Sapogenin:**
Sapindus mukorossi utilis
(Trabuti) (JACOBS) 379
— *saponaria L.* (JACOBS) 379
- Saponification:**
Light, unsaponifiable con-
stituents of fats on ex-
posure (STEENBOCK and
BLACK) 263
- Scurvy:**
Eggs, antiscorbutic proper-
ties (HAUGE and CAR-
RICK) 111
- Serum:**
Blood, cholesterol, modi-
fication of Bloor's meth-
od (SACKETT) 203
Calcium, ultra-violet ir-
radiation (MORITZ) 81
Hydron concentration de-
termination, quinhy-
dron electrode (CULLEN
and BILLMANN) 727
- Specific dynamic action:**
Thyroid secretion, relation
(BAUMANN and HUNT) 709
- Strophanthidin:**
Double bond (JACOBS and
COLLINS) 383
- Strophanthin:**
(JACOBS and COLLINS) 383
- Sugar(s):**
Acetone from, by *Bacillus*

Sugar(s)—continued:

- acetoethylicum* (SPEAK-
MAN) 41
Blood (BENEDICT) 207
Tumors, malignant, free
sugar (CORI and CORI) 11

T

- Thymine:**
Oxidation (BAUDISCH and
DAVIDSON) 233
- Thymine glycol:**
(BAUDISCH and DAVIDSON) 233
- Thyroid:**
Secretion, relation to spe-
cific dynamic action
(BAUMANN and HUNT) 709
- Thyroxin:**
Isomer (HARINGTON) 29
- Tissues:**
Body, electrolytic modi-
fication of Gutzeit meth-
od for arsenic (LAWSON
and SCOTT) 23
Oxygen consumption, pH
(KOEHLER and REITZEL) 739
- 3,4,5-Triiodophenylpyrrolidone
carboxylic acid:**
Synthesis (HARINGTON) 29
- Tryptophane:**
Globulins of jack bean
(SUMNER and GRAHAM) 257
- Tumors:**
Glycogen (CORI and CORI) 11
Lactic acid (CORI and
CORI) 11

Tumors—continued:

- Metabolism, carbohydrate
(CORI and CORI) 11
- Sugar, free (CORI and
CORI) 11

Tyrosine:

- Globulins of jack bean
(SUMNER and GRAHAM) 257

U**Uric acid:**

- Blood (BENEDICT) 215

Urine:

- Camel, chemical constitu-
ents (READ) 615

V**Vein(s):**

- Blood similar to arterial
in gaseous content
(GOLDSCHMIDT and
LIGHT) 53

Vitamin(s):

- Fat-soluble (NELSON and
STEENBOCK) 299
- (STEENBOCK and
BLACK) 263

Vitamin A:

- Ophthalmia in rats pro-
duced with diets con-
taining (McCOLLUM,
SIMMONDS, and BECKER) 161

Vitamin B:

- Jendrassik reaction (BEZ-
SONOFF) 589
- — (LEVINE) 591

W**Water:**

- Bone, during growth
(HAMMETT) 409
- Diffusion through collodion
membranes between so-
lutions of mixed electro-
lytes, electrostatic forces
(ADOLPH) 339
- Mineral, natural, aging
(BAUDISCH and WELO) 771

Water-soluble B:

- Jendrassik reaction (BEZ-
SONOFF) 589

Wheat:

- Bran, amino acids of pro-
teins (JONES and GERS-
DORFF) 241
- , amino nitrogen of pro-
teins (JONES and GERS-
DORFF) 241
- , nitrogen of proteins
(JONES and GERSDORFF) 241
- , proteins (JONES and
GERSDORFF) 241
- , —, comparison with
proteins of wheat em-
bryo (JONES and GERS-
DORFF) 241
- , —, — with proteins of
wheat endosperm (JONES
and GERSDORFF) 241
- Embryo, proteins, com-
parison with proteins of
wheat bran (JONES and
GERSDORFF) 241
- Endosperm, proteins, com-
parison with proteins of
wheat bran (JONES and
GERSDORFF) 241

